## MASSIVE 265 - 60 HP

60 hp\* 212 Nm 48 hp\*\*

21.3

28.7

3.6

14.5



## PERFORMANCE

Maximum engine power at 2,250 rpm	
Maximum torque at 1,600 rpm	
Maximum PTO power at rated	
engine speed	
*Certified to BU AU 141a : (1971)	
** Manufacturer's estimate	

## ENGINE

Forward 7

Forward 8

**Reverse 1** 

**Reverse 2** 

(low)

(high)

Туре	Diesel T 3. 1524
No. Of Cylinders	3
Injection	Direct
Bore	91.4 mm
Stroke	127 mm
Capacity	2.5
Aspiration	Turbo
Compression Ratio	15.5 : I
Starting Aid	Thermostat
Throttle Control	Hand and foot
Cooling	Water
Air Cleaner Type	Oil Bath
Air Pre-cleaner	Over bonnet, air swirl
Fuel Filter	Dual, high capacity
Exhaust	Vertical
Oil Cooler	Air Cooled, Fin type
ELECTRICS	

Voltage		12 V. Negative Earth
Battery		110 Ah
Starter		2.2 kW
Alternator	_	32 Amp.
CLUTCH		
Туре	200	Dual
Diameter	3/1	305 254 mm
TRANSMISSION		
Туре		Sliding Spur
Number of gears		8 forward, 2 reverse
Road speed at 2	.250 engine rp	m with
14.9 / 13-28 rear	tyres	
Gear		Speed (kph)
Forward 1	(first low)	2.7
Forward 2		3.9
Forward 3		5.3
Forward 4		7.2
Forward 5	(first high)	10.7
Forward 6		15.6

POWER TAKE OFF	
Туре	Live
Engine speed at 540 PTO	rpm 1,789 rpm
Shaft diameter	35 mm
No. Of splines	6
HYDRAULICS	
Functions	Draft control,
	Position control
	Response control
	Constant pumping
Pump Type	Reciprocating
	Ferguson pump
Maximum oil Flow	16 I / min
Maximum Pressure	21 Mpa
	at normal operating
	temperature
Max. Lift capacity with lo	wer 2,170 kg
links horizantal	1VN
Lower links	With Cat. I & I
	interchangeable balls
STEERING	
Туре	Box Section,
	Adjustable
Steering	Hydrostatic
REAR AXLE AND BRAKE	6
Axle Type	Straddle with
· )	epicyclic reduction
Brake Type	oil immersed, multi-
	disc
Brakes Actuation	Mechanical
Parking Brake	Hand Lever Operated
5	
INSTRUMENTATION	
Gauges	Technometer,
	Hourmeter, Feul leve,
	Battery condition 8
	Water temprature
Warning Lights	Direction indicators
	Electric charge
	Low engine oil
	pressure & Brake lights
TYRES	
Front	7.50 - 16 (6PR)
Rear	14.9 / 13 - 28 (6PR)

TRACK ADJUSTMENT   Front 1,245 - 1,854 mm	n	
Rear 1,423 - 2,134 mi	n	
WEIGHTS AND DIMENSIONS		
Weight /		
Gross Weight 1,920 kg	9	
Dimensions		
Wheel base 1,892 mn	n	
Overall Length 3,260 mn	n	
Overall width (min) 1,890 mn	n	
Height		
Over exhaust 2,220 mm	n	
Over steering wheel 1,490 mm		
Turning Circle		
With brakes 5,840 mm	n	
Without brakes 6,580 mn	n	
Ground Clearance		
Under gear box 400 mm	n	
CAPACITIES		
Fuel tank 47.5	-	
Engine pump 6.8	I	
Cooling system 10.2	-	
Hydraulic system 36.0	-	
Steering box 0.9		
Oil bath air-cleaner	<u> </u>	
STANDARD EQUIPMENT		
Weight frame without weights, standard to	ool	
box with set of tools, Top link, Top link en	d	
cat-i, Cat-I & II balls, Check chains, Spring	J	
suspension seat, Flat top fender &		
operator's Manual		
OPTIONAL EQUIPMENT		
Front end weights, swinging drawber sun		
Canopy.		